


**AMENDMENTS TO THE CLAIMS**

- 1.-6. (Cancelled)
7. (Previously Presented) A method for synergistically increasing the yield in glyphosate-resistant legumes, which comprises treating the plants with a mixture comprising

(a) a compound of the formula Ia



in which

T is CH or N;

R<sup>a'</sup> and R<sup>b</sup> are halogen or C<sub>1</sub>-C<sub>4</sub>-alkyl;

the phenyl group is in the 1- or 5-position;

x is 0, 1 or 2; and


y is 0 or 1;

and

(b) a glyphosate derivative II  
in a synergistically active amount.

8. (Previously Presented) The method as claimed in claim 7, wherein the weight ratio of the compound Ia to the glyphosate derivative II is from 5:1 to 0.01:1.
9. (Previously Presented) The method as claimed in claim 8, wherein the mixture comprises:

- (a) pyraclostrobin and
  - (b) a glyphosate derivative II.
10. (Previously Presented) The method as claimed in claim 9, wherein component (b) is glyphosate.
11. (Previously Presented) A method as claimed in claim 7, wherein a fungicidal azole selected from the group consisting of: fluquinconazole, metconazole, prochloraz, propiconazole, prothioconazole, tebuconazole, epoxiconazole or myclobutanil is employed as component a) in addition to the active ingredient of the formula Ia.
12. (Previously Presented) A mixture comprising
- (a) a compound of the formula Ia



in which

$T$  is CH or N;

$R^a$  and  $R^b$  are halogen or  $C_1$ - $C_4$ -alkyl;

the phenyl group is in the 1- or 5-position;

$x$  is 0, 1 or 2; and

$y$  is 0 or 1;

and

(b) a glyphosate derivative II

wherein the weight ratio of the compound Ia to the glyphosate derivative II is from 5:1 to 0.01:1.

13. (Previously Presented) A mixture as claimed in claim 12, comprising
  - (a) pyraclostrobin and
  - (b) a glyphosate derivative II.
14. (Previously Presented) A mixture as claimed in claim 13, wherein component a) comprises an azole selected from the group consisting of: metconazole, myclobutanil, epoxiconazole, propiconazole, prothioconazole and tebuconazole in addition to the active ingredient pyraclostrobin.
15. (Previously Presented) A mixture as claimed in claim 13, wherein component (b) is glyphosate.
16. (Currently Amended) The method as claimed in claim 10, wherein the weight ratio of the compound ~~yraclostrobin~~ pyraclostrobin to glyphosate is from 1:1 to 0.1:1.
17. (Previously Presented) A mixture as claimed in claim 15, wherein the weight ratio of the compound pyraclostrobin to glyphosate is from 1:1 to 0.1:1.